



THE WORLD'S LEADING MANUFACTURER OF LABEL DISPENSERS, REWINDERS, UNWINDERS & COUNTING SOLUTIONS



## LABEL DISPENSERS

LD-100-RS/U-(SS)

LD-200-RS/U-(SS)

LD-300-RS/U-(SS)

# Label Dispensers

## POWERED LABEL DISPENSERS

LABELMATE label dispensers are a quick and easy way to **dispense individual labels**. They use a peel and present design: as the material passes through the dispenser, the label is peeled away from the backing material and presented at the front of the unit where it waits to be picked up by the operator.

- ✓ Small footprint to fit on any desk
- ✓ Easy setup in less than 30 seconds
- ✓ Available in Stainless Steel (food and pharmaceutical market)
- ✓ Selectable speed (high-low)



LD-200-U-SS

## FEATURES


- All Label Dispensers (except AWB) come with 38mm core holders accepting all cores between 40 and 76mm
- AWB Option comes standard for Cores in diameter 76mm. Available on request for 38,40,44,50,70 and 100mm cores
- Maximum Label Roll Weight: 6 KG
- Minimum Speed: 11 CM/SEC
- External roll diameter LD-100 & LD-200 : 220 mm standard, 265 mm with AWB option, 300 mm with LD-DE option
- External roll diameter LD-300 : 300 mm

## DIMENSIONS


- LD-100 models W x D x H: 210 x 200 x 270 mm
- LD-200 models W x D x H: 270 x 200 x 270 mm
- LD-300 models W x D x H: 300 x 250 x 295 mm
- Shipping Weight: 6 to 8 KG depending on model & selected options

## GENERAL

- Power Supply: Input 100-240V 50hz Output 15VDC - 4.33A
- Limited Warranty of 3 Years, 1 Year on the Power Supply



Counter Option



LD-AWB Option



LD-DE Option

## LD MODELS

P/N	MODEL	LABEL WIDTH (MM)	MIN LABEL LENGTH (MM)	STAINLESS STEEL
-----	-------	------------------	-----------------------	-----------------

### REGULAR LABELS

LMD001	LD-100-RS	up to 115	6	
LMD003	LD-100-RS-SS	up to 115	6	x
LMD002	LD-200-RS	up to 165	6	
LMD004	LD-200-RS-SS	up to 165	6	x
LMD014	LD-300-RS-SS	up to 218	50	x

### ALL LABELS, INCL TRANSPARENT & BLACK

LMD005	LD-100-U	up to 115	20	
LMD007	LD-100-U-SS	up to 115	20	x
LMD006	LD-200-U	up to 165	20	
LMD008	LD-200-U-SS	up to 165	20	x
LMD016	LD-300-U-SS	up to 218	50	x

## LD OPTIONS

P/N	MODEL	DESCRIPTION
-----	-------	-------------

LMX445	C-1	Counter option for all Label Dispensers LD-RS, LD-U & SS models
LMX446	PC-1	Pre-set Counter. Stops the dispenser after a pre-set quantity is reached. Factory installed.
LMX447	LD-AWB	Adjustable Wearless Brake. Allows to vary the roll tension and finetune present-position. Recommended for small labels. Factory installed. Only available on LD-100/200 models.
LMX448	LD-FLANGES-220	Per pair, inner & outer flange. Fits all models (not compatible with LD-AWB). Recommended for narrow labels.
LMX449	LD-FLANGES-300	Per pair, inner & outer flange. To be used on LD-300-models or with LD-DE option. Recommended for narrow labels.
LMX366	LD-DE	Diameter Extension for LD-100 & LD-200. Allows using label rolls with diameter up to 300 mm. Factory installed.
LMX367	LD-DE-SS	Diameter Extension for LD-100/200-SS Stainless Steel edition. Factory installed.
LMX450	EXT.COMMAND	Devices dispenses one label when receiving a signal (contact closure, mono-jack 3,5mm included) Factory installed.
LMX451	BATTERY PACK	Full Kit for mobile operations. Incl. battery, charger, cables. Autonomy of circa 8h, recharging cycle 8h.



Your local partner:



**BSR idware GmbH**  
Jakob-Haringer-Str.3  
A-5020 Salzburg  
<https://www.bsr.at>  
[sales@bsr.at](mailto:sales@bsr.at)

**+32 2 375 69 60**

**[brussels@labelmate.com](mailto:brussels@labelmate.com)**

Chaussée de Ruisbroek 290  
1620 Drogenbos (Belgium)

**[www.labelmate.com](http://www.labelmate.com)**